

# ECCV 2022 Seasons in Drift Challenge

## Fact sheet

This is the fact sheet’s template for the ECCV 2022 Seasons in Drift Challenge. Please fill out the following sections carefully in a scientific writing style. Then, send the compressed project (in .zip format), i.e., the generated PDF, .tex, .bib and any additional files, following the schedule and instructions (“Wining solutions (post-challenge)”, Fact Sheets) provided in the Challenge webpage.

### I. TEAM DETAILS

- Team leader name: **Boyong He**
- Username on Codalab: **heboyong**
- Team leader affiliation: **Xiamen University**
- Team leader email: **heboyong@qq.com**
- Name of other team members (and affiliation):
  - (1) **Qianwen Ye, Xiamen University**
  - (2) **Xianjiang Li, Xiamen University**
  - (3) **Weijie Guo, Xiamen University**
- Team website URL (if any): None
- Competition track (mark with X one single option)<sup>1</sup>:
  - (X) Track 1: Detection at **day** level.
  - ( ) Track 2: Detection at **week** level.
  - ( ) Track 3: Detection at **month** level.

### II. CONTRIBUTION DETAILS

#### A. Title of the contribution

In this competition, we use the current SOTA algorithms (Cascade RCNN [1], Res2Net [2], CBNetv2 [3]) and targeted data augmentation methods (Large Scale Jitter) to mitigate the drift problem in the LTD dataset [4] caused by changes in the outdoor environment and significantly improves the detection accuracy of the week level training dataset.

#### B. Representative image / workflow diagram of the method

As shown in 1

#### C. Detailed method description

In this competition, we use the MMDetection [5] as the main framework for the verification and development of the algorithms.

The structures of our algorithm include:

- **Cascade RCNN** [1]: We use Cascade RCNN, a two-stage object detection algorithm with high accuracy, as the main architecture for object detection.

<sup>1</sup>If you participated in more than one competition track, you need to share with the organizers one fact sheet per track.

- **Res2Net** [2]: We use the SOTA CNN structure Res2Net (Res2Net-101) as the backbone. Swin Transformer always achieves better results when comparing with other CNN-based backbone.
- **CBNetv2** [3]: We use CBNetv2 to enhance the Swin Transformer to directly improve the accuracy of the current backbone without retraining the backbone.

Data augmentation, inference and post-processing settings include:

- **Large Scale Jitter**: We use a training scale of 640 on the longest side and set a training scale range from 0.5 to 2.0.
- **Test Time Augmentation**: In the inference stage, we use Soft-NMS and flip augmentation to further enhance the results, with single model and single scale 960.

The detailed training schedule includes:

- **Optimizer and learning rate schedule**: The default optimizer is SGD ,with an initial learning rate of 0.02 and a weight decay parameter of 0.0001, and trained within 24 epochs.
- **SycBN**: We use SycBN as the default batch normalization setting.

#### D. Challenge results

Fill Table I with your obtained results, shown in the leaderboard of the challenge.

#### E. Final remarks

Please identify the pros and cons (if any) of the proposed approach.

We have not addressed well the long-tail problem in our dataset caused by the extreme sparsity of the bicycle and motorcycle categories. In our experiments, we found extremely low precision for these two categories.

### III. ADDITIONAL METHOD DETAILS

Please, reply if your challenge entry considered (or not) the following strategies and provide a brief explanation. For each question, mark with X one single option.

- **For the competition track associated with this fact sheet, you confirm that you have trained your model on the predefined and single:** (X) Day, ( ) Week, ( ) Month - as instructed in the challenge webpage.
- **Did you use any pre-trained model:** (X) Yes, ( ) No. If yes, please detail (e.g., model architecture, training




Fig. 1. The structures of our algorithm.

TABLE I  
RESULTS FROM LEADERBOARD (TEST PHASE) OBTAINED BY THE PROPOSED APPROACH.

Rank position	$mAP_w$	$mAP$	Jan	Mar	Abr	May	Jun	Jul	Aug	Sep
2	0.240078	0.2434	0.3063	0.2952	0.2905	0.2295	0.2318	0.1901	0.2615	0.1419

strategy, train data, etc.).

The pretrained model can be found in this URL: Cascade RCNN with CBNetv2 and Res2Net.

Detailed information can be found in this URL: CBNetv2.

- **Did you use external data?** ( ) Yes, (X) No  
If yes, please detail:

- **Did you perform any data augmentation?**

(X) Yes, ( ) No

If yes, please detail:

Data augmentation methods:

- **Large Scale Jitter:** We use a training scale of 640 on the longest side and set a training scale range from 0.5 to 2.0.

- **At the final phase, did you use the provided validation set as part of your training set?** ( ) Yes, (X) No  
If yes, please detail:

- **Did you use any regularization strategies/terms?** ( )

Yes, (X) No

If yes, please detail:

- **Did you use handcrafted features?** ( ) Yes, (X) No

If yes, please detail:

- **Did you use any spatio-temporal feature extraction strategy?** ( ) Yes, (X) No

If yes, please detail:

- **Did you perform object tracking?**

( ) Yes, (X) No

If yes, please detail:

- **Did you leverage timestamp information?**

( ) Yes, (X) No

If yes, please detail:

- **Did you use empty frames present in the dataset?**

( ) Yes, (X) No

If yes, please detail:

- **Did you construct any type of prior to condition for visual variety?**

( ) Yes, (X) No

If yes, please detail:

#### IV. CODE REPOSITORY

Link to a code repository with complete and detailed instructions so that the results obtained on Codalab can be reproduced locally. This includes a list of requirements, pre-trained models, and so on. Note, training code with instructions is also required. This is recommended for all participants and mandatory for winners to claim their prize. **Organizers strongly encourage the use of docker to facilitate reproducibility.**

**Code repository:** <https://github.com/heboyong/day-submit>

#### REFERENCES

- [1] Z. Cai and N. Vasconcelos, "Cascade r-cnn: Delving into high quality object detection," in *Proceedings of the IEEE conference on computer vision and pattern recognition*, 2018, pp. 6154–6162.
- [2] S.-H. Gao, M.-M. Cheng, K. Zhao, X.-Y. Zhang, M.-H. Yang, and P. Torr, "Res2net: A new multi-scale backbone architecture," *IEEE transactions on pattern analysis and machine intelligence*, vol. 43, no. 2, pp. 652–662, 2019.
- [3] T. Liang, X. Chu, Y. Liu, Y. Wang, Z. Tang, W. Chu, J. Chen, and H. Ling, "Cbnetv2: A composite backbone network architecture for object detection," *arXiv preprint arXiv:2107.00420*, 2021.
- [4] I. A. Nikolov, M. P. Philipsen, J. Liu, J. V. Dueholm, A. S. Johansen, K. Nasrollahi, and T. B. Moeslund, "Seasons in drift: A long-term thermal imaging dataset for studying concept drift," in *Thirty-fifth Conference on Neural Information Processing Systems*, 2021.
- [5] K. Chen, J. Wang, J. Pang, Y. Cao, Y. Xiong, X. Li, S. Sun, W. Feng, Z. Liu, J. Xu *et al.*, "Mmdetection: Open mmlab detection toolbox and benchmark," *arXiv preprint arXiv:1906.07155*, 2019.
- [6] I. Loshchilov and F. Hutter, "Decoupled weight decay regularization," *arXiv preprint arXiv:1711.05101*, 2017.
- [7] H. Zhang, M. Cisse, Y. N. Dauphin, and D. Lopez-Paz, "mixup: Beyond empirical risk minimization," *arXiv preprint arXiv:1710.09412*, 2017.
- [8] A. Buslaev, V. I. Iglovikov, E. Khvedchenya, A. Parinov, M. Druzhinin, and A. A. Kalinin, "Albumentations: fast and flexible image augmentations," *Information*, vol. 11, no. 2, p. 125, 2020.
- [9] G. Ghiasi, Y. Cui, A. Srinivas, R. Qian, T.-Y. Lin, E. D. Cubuk, Q. V. Le, and B. Zoph, "Simple copy-paste is a strong data augmentation method for instance segmentation," in *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition*, 2021, pp. 2918–2928.